

Attorney's Docket No. <u>017753-109</u>

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:)	
Marcelo LOPEZ LASTRA et al.) Group Art Unit: 1636	
Application No.: 09/214,124) Examiner: Quang Nguyen	# 16
Filed: March 17, 1999) Confirmation No.: 5944	r
For: NOVEL INTERNAL RIBOSOME ENTRY SITE AND VECTOR CONTAINING SAME))	

PETITION TO WITHDRAW HOLDING OF ABANDONMENT PURSUANT TO 37 C.F.R §1.181(a)

BOX PETITION

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

In response to the Notification of Abandonment dated August 24, 2002 (copy enclosed), Applicants hereby petition for withdrawal of the holding of abandonment for U.S. Patent Application No. 09/214,124. This petition is timely filed within two months of the mail date of the Notification of Abandonment. Pursuant to 37 C.F.R. §1.181, this petition does not require a fee.

Applicants submit that the holding of abandonment dated August 24, 2002 should be withdrawn for the following reasons. The Notice of Abandonment indicates that the captioned application was abandoned for Applicant's failure to file a timely response to an

1036

Office Action mail dated January 28, 2002. Applicants submit that they never received the Office Action of January 28, 2002.

2

Pursuant to M.P.E.P. 711.03(c)(II), Applicants provide the following to show that the Office Action of January 28, 2002, was not received.

First, the undersigned Attorney of Record, Teresa Stanek Rea, hereby states that despite a search of the file jacket and the docketing records, there is no indication that the Office Action of January 28, 2002 was received by Burns Doane Swecker & Mathis, LLP. Attached hereto is a copy of the docket record of Burns Doane Swecker & Mathis, LLP for April 28, 2002, the three month due date for Reply to the Office Action of January 28, 2002. This docket report for April 28, 2002 shows no record of a Reply due to a Office Action for captioned Patent Application No. 09/214,124.

In further support, Applicants provide the docketing report of August 14, 2002, which notes that Patent Application No. 09/214,124 was docketed for a status check, as no Office Action had been received from the U.S. Patent and Trademark Office. Nancy Robins of Burns Doane Swecker & Mathis, LLP called Examiner Nguyen on August 30, 2002 to discuss the status of the patent application, and Examiner Nguyen made her aware of the Office Action of January 28, 2002 at that time.

Thus, Applicants submit that the Office Action of January 28, 2002 was never received, and therefore the holding of abandonment was improper.

Withdrawal of the holding of abandonment is respectfully solicited.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By:

Teresa Stanek Rea Registration No. 30,427

P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620

Date: October 10, 2002



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Potent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.			Address: COMMISSIONER OF I Washington, D.C. 2023 www.uspto.gov	Frademark Office PATENTS AND TRADEMARK
	FILING DATE	FIRST NAMED INVENTOR		
09/214,124	03/17/1999		ATTORNEY DOCKET NO.	CONFIRMATION NO.
21839 759 BURNS DOAN	08/24/2002	MARCELO LOPEZ LASTRA	017753-109	5944
POST OFFICE E ALEXANDRIA,	08/24/2002 NE SWECKER & MAT BOX 1404 VA 22313-1404	THIS LL PE TOTAL	EXAMI	NER
		חנד 1 0 2002 אין	NGUYEN,	QUANG
		OCT 1 0 2002	ART UNIT 1636	PAPER NUMBER
		PRADEMAR	DATE MAILED: 08/24/2002	15

Please find below and/or attached an Office communication concerning this application or proceeding.

NHS/TSR

PTO-90C (Rev. 07-01)

OCT 1 0 2002 Notic of Abandonm nt

Application No. Applicant(s) 09/214,124 LOPEZ LASTRA ET AL. Examiner Art Unit Quang Nguyen, Ph.D. 1636

	- Th MAILING DATE of this committee Quang Nguyen, Ph.D.	1636	
	- Th MAILING DATE of this communication appears on the cover sheet with the c	orrespondence an	Idross
	This application is abandoned in view of:	-y	101 ess-
	Applicant's failure to timely file a proper reply to the Office letter mailed on <u>28 January 2002</u> . (a) A reply was received on (with a Certificate of Mailing or Transmission dated) period for reply (including a total extension of time of month(s)) which expired on (b) A proposed reply was received on, but it does not constitute a proper reply under 37 (A proper reply under 37 CFR 1.113 to a final rejection consists only of: (1) a timely filed am application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); of Continued Examination (RCE) in compliance with 37 CFR 1.114).	CFR 1.113 (a) to the common of	he final rejection ces the
	 (c) ☐ A reply was received on but it does not constitute a proper reply, or a bona fide attern final rejection. See 37 CFR 1.85(a) and 1.111. (See explanation in box 7 below). (d) ☒ No reply has been received. 	ipt at a proper reply	/, to the non-
2.	Applicant's failure to timely pay the required issue fee and publication fee, if applicable, within the from the mailing date of the Notice of Allowance (PTOL-85). (a) The issue fee and publication fee, if applicable, was received on (with a Certificate), which is after the expiration of the statutory period for payment of the issue fee (and Allowance (PTOL-85).		
	(b) The submitted fee of \$ is insufficient. A balance of \$ is due.	p ==duon ice) set	in the Motice of
	The issue fee required by 37 CFR 1.18 is \$ The mubilines is		
(c) The issue fee and publication fee, if applicable, has not been received.	R 1.18(d), is \$	 ·
3.[Applicant's failure to timely file corrected drawings as required by, and within the three-month peri	od set in, the Notic	e of
•	after the expiration of the period for reply.	ission dated), which is
(1) No corrected drawings have been received.		
4. [The letter of express abandonment which is signed by the attorney or agent of record, the assigned the applicants.	e of the entire inter	est, or all of
5. [The letter of express abandonment which is signed by an attorney or agent (acting in a represental 1.34(a)) upon the filing of a continuing application.	itive capacity under	37 CFR
5.	The decision by the Board of Patent Appeals and Interference rendered on and because the of the decision has expired and there are no allowed claims.	e period for seeking	court review
	The reason(s) below:		
	Ms. Nancy Robins phoned Examiner on 8/14/02 to inform Examiner that Applicants have Action mailed on 1/28/02, therefore no Response has been filed (more than 6 months sin last Office Action). Therefore, the application has been technically abandonned. Examin file a petition to revive the above application. DAVE T. NGUY PRIMARY EXAM	er suggests Appli EN	Office te of the cants to
titio	ns to revive under 37 CFR 1.137(a) or (b), or requests to withdraw the holding of abandonment under 37 CFR 1.		
nimi	re any negative effects on patent term.	181 should be prome	M. 51

minimize any negative effects on patent term.

U.S. Patent and Trademark Office

2 Ext/1 Mnth	ν. -					
		Notice of Appeal		A Dispenser For Cold Drinks	003300-711	28 Sun BSD/WLW/
Ext/1 Mnth	0 5E	Appeal Brief Due		REQUEST FOR RECONSIDERATION FILED 4/8/02		•
3 Ext/1 Mnth	0 3 E	Response to OA		Doctor Blade	003300-619	28 Sun BSD/WLW/
None	0	SC - Office Action		Adaptive Sectorization	003250-224	28 Sun RLG/KBL/SJT
				Method and Device for Transdermal Electrotransp	000951-091	28 Sun RGM//
None	0	SC - 1st OA		Methods And Apparatus For Improving Adaptive Application was filed 5/27/99	040070-217	
None	0	SC - 1st OA		Duai Foldilsed Alitenna	040070 247	
Ext/1 Mnth	2 1	Response to OA		Method and an Arrangement in a Radio System Dual Polarisod Astronomy	040040-007	
None	0	Req 30 Mo Instruct		Time Synchronization Of Radio Networks FILE PCT 30 MO NATIONALS DUE 7/27/02	040020-335	27 Sat RLG/SWP/
None	o ·	Req 30 Mo Instruct	1 Order Mes (127/02)	Method and System for Power Control Order Mes FILE PCT 30 MO NATIONALS DUE 6/27/02	040010-892	
None	0	SC - 1st OA	Uplink Com	Methods and Apparatus for Allocating Uplink Com STATUS LETTER REPLY RECVD 07/19/01	040010-445.001	
None	0 (Req 30 Mo Instruct	Transmit 7/27/02	A Method and Apparatus for Efficient Transmit	040000-853	27 Sat KLG/SWP/MEO
Z D D	o	SC - 1st OA	Scheduling	A Method And Apparatus For Uplink Scheduling		
None	0	Search Report copy	Grace period until 10/1/02 but first Acceptance date in this case is 4/27/02 - Final is 1/27/03	Grace period until 10/1/02 but first Ac		
None	ω	Response to OA		Multiple Hyperband Mobile Base Stations	040000-642	27 Sat RLG/KBL/AJB
9 Ext/1 Mnth	0	The Acceptance Date	tions	Multiple Hyperband Mobile Base Stations	040000-642	27 Sat RLG/KBL/AJB
None	o	Response to OA		Multiple Hyperband Mobile Base Stations	040000-642	27 Sat RLG/KBL/AJB
				Multiple Hyperband Mobile Base Stations	040000-641	27 Sat RLG/KBL/AJB
None	0	Search Report copy	cceptance date in this case is 4/27/02 - final is 1/27/03	Multiple Hyperband Mobile Base Stations Grace period until 10/1/02 but first Acceptance date in this case is	040000-641	בי ספנ אנט/אסר/אטו
9 Ext/1 Moth	0	The Acceptance Date	itions	Multiple Hyperband Mobile Base Stations		
None	0	Status Check	DEMARK	Channelization Code Allocation TRADEMARK	· ·	
EXT AVAILABLE	EXT	ACTION	REG/SERIAL#	ľ		ntinu
Page 9	29/02	Printed: 4/26/02 Through: 4/29/02			2 REFERENCE#	ATTY1/ATTY2
				01P	ıl Docket	Urgent Global Docket

None	0	Status Check		On-Site Generation of Ultra-High-Purity Buffered- Jeff Wendt is handling	016499-243	za sun EJG/JDB/
None	G	Assignment Due	es. Reminder sent client 12/26/01a nd 1/15/02. Ext. 1 mo.	Assignment doc. sent TI for inventors signatures.	A	
3 Ext/1 Mnth	œ	SC -File Application		Ink Jet Receiving Layer With Good Durability IC Test Software System for Manning Logical for	013450-326 Jr 014823-123 J	28 Sun REK/KS/
None	0	SC - 1st OA	in a second seco	Eco Cancellation Device for Cancelling Echos in a Application was filed 7/28/00		
None	0	SC - Filing Receipt		Image Processing Device, Program Product And Application was filed 6/28/01	011350-278	
None	0	SC - 1st OA		Application was filed 7/28/00		
3 Ext/1 Mnth	0	Response to OA	Burn	Method, Instrument And System For Performing	011350-258	
3 Ext/1 Mnth	-	File Con/Div Appln		Twin-Hulled Vessel with Variable Widths	•	28 Sun JWP/DRH/
None) o	Inf Disclosure Start		Digital Media Rack	007198-453	
		Charles Charles	ctant	Enhanced Oil Recovery Method Using Surfactant	005952-105	28 Sun TGD/EJG/-
5 Ext/1 Mnth	0	Missing Parts (2 Mo)	cher	Preparation of High Octane Alkylate from Fischer DECLARTION DUE	005950-724	בי טמוי הטיירטטיטדר
None	0	Not. Of Appeal/Amend	rhavi	High Level of Basic Fibroblast Growth Factor havi	004973-077;	
	0	Publication Fee Due	ontrol	Control of Cinaracterizing a Computer to Control	004073	28 Sun RDH/MAD/DEL
None	0	Issue Fee Due		System for Characterizing a Computer to Co	004900-157	28 Sun RES//
2 Ext/1 Mnth	-1	Notice of Appeal		System for Characterizing a Computer to Control	004900-157	28 Sun RES//
2 Ext/1 Mnth	-3	rinal Rejection Resp	anulati	Device for Homogenizing, Mixing and/or Granulati	004640-026	28 Sun PCK//
			anulati	Device for Homogenizing, Mixing and/or Granulati	004640-026	28 Sun PCK//
None	0	SC - 1st OA		Low-Temperture Appartus Application was filed 9/28/00	004501-434	
3 Ext/1 Mnth	0	Response to OA		Horizontal-Axis Electrical Machine	004501-423	
None	0	Action Needed	recordal of transfer to Nicholas Bodor	REMINDER - POA required for request for		28 Sun RSS/EDS/
AVAILABLE	EXT	ACTION	KEG/SEKIAL#	Brain-Specific Drug Delivere	003800-134	28 Sun MKB//
	4/29/02 CURRENT	Through:		TITLE / MARK 00T 1 0 2002	REFERENCE#	DUE PARA
				OIPA	Docket	Urgent Global Docket

None	0	SC - Cert Correction	1/01	. Reģu	•
8 Ext/1 Mnth	3 81	SC -File Application		022701-811 Use c	23 Sun NHS/TSR/ C
8 Ext/1 Mnth	3 8	SC -File Application		021238-501 N/A	29 Sun PKS/WLW/ (
1 Ext/1 Moth	2	Notice of Appeal		021238-500 N/A	28 Sun PKS/WLW/ (
Ext/1 Mnth	2	Final Rejection Resp		021238-329 Meth	28 Sun PKS//
None	11	SC -File Application	Method and Apparatus for Applying Material to a	021238-329 Meth	28 Sun PKS//
2 Ext/1 Mnth	-	Inf Disclosure Stmt		021238-277 Conc	28 Sun PKS//
			Process for Producing Polymer Fine Particles and	019519-344 Proc	28 Sun PNM/RGM/
None None	0 0	SC - 1st OA	Lithographic Printing Plate Support and Lithograp Application was filed 9/28/00	019519-269 Litho <i>Appi</i>	28 Sun PNM/RGM/
3 Ext/1 Mnth		Cor of Nic of Become	Heat Sensitive Lithographic Printing Plate	019519-248 Hea	
			Preparation of Emulsions	019230-044 Prej	28 Sun EJG//
None None	<i>υ</i> 1 Ο	Missing Parts (2 Mo)	Novel Cephalotaxane Derivatives and Process for BASIC FILING FEE DUE	017753-113 Nov BAS	28 Sun NHS/TSR/DHY
3 Ext/1 Mnth	0	Charles Stmt	Low Cost MMW Transceiver Packaging	017750-740 Low	28 Sun PCK//
None	o	Issue Fee Due	Hacksaw Frame	016901-122 Had	28 Sun RLG/WLW/
None	0	Issue Fee Due	UV-Photoprotecting of Dibenzoylmethane Sunscr	016800-420 UV	28 Sun NHS/KLW/
		- 1 .	UV-Photopretecting W/O Emulsions Comprising	016800-417 UV	28 Sun NHS/KLW/
None	0 -	SC - Cert Correction	Apoptosis Inducing Adamantyl Derivatives and the Request for Certificate of Correction was filed 9/28/01	016800-255 Ap <i>Re</i>	28 SUN NHS//
	•	Response to OA	Anhydrous Sunscreen/Cosmetic Compositions Co	.001	
None	0 1	SC - 1st OA	An Antenna Device, and Mobile Communications Application was filed 8/28/00	016660-054 Ar <i>Ap</i>	20 SUN JAL//
	ა	Response to OA	Ozone Bleaching of Low Consistency Pulp Using	•	28 Sun EJG//
None	0	Status Check	System And Method For Controlled Delivery Of Li Have we received the patent yet?	016499-450 S ₎ Hi	28 Sun EJG/JDB/
AVAILABLE	CURRENT EXT	ACTION	REG/SERIAL#		
Page 11	/29/02	Printed: 4/26/02 Through: 4/29/02	OCT 1 0 2002 6	REFERENCE# TI-	DUE PARA
			OIPE	Docket	Urgent Global Docket

None	0	Status Check		•		•
None	0	Status Check	Rechargeable battery pack w/identification circuit	Rechargeable b	027540-517	23 Sun RLG/MGS/MJC
			Prioritization between handoff and new call reque	Prioritization be	027500-494	28 Sun RLG/MGS/
None	0	SC - 1st OA	Aminized For Stable A	Application was filed 8/28/00		
None	0	Publication Fee Due	Test Mode Setting Circuit Ontimized For Stable A	Test Mode Sett	027260-392	28 Sun PNM/CFW/
None	0	Issue Fee Due	ls:	Probe Stylus	027260-301	28 Sun PNM/CFW/
None	0	Formal Drawings Due		. Probe Stylus	027260-301	28 Sun PNM/CFW/
		*	THE PROPERTY OF FILEDY	Probe Stylus	027260-301	28 Sun PNM/CFW/
None		SC -File Application	Methods for Preventing Recognition THIS APPLICATION HAS BEEN ON THE DOCKET SINCE 04/28/99 - WILL THIS APPLICATION BE EN EDS		026379-277	
1 Ext/1 Math		Notice of Appeal				28 Sun GES/-/
	ა	Response to OA	DNA Fragment, Recombinant DNA, And Transfor			
None .	o	Response to OA (1Mo)	ORMALITY RE PAYMENT OF FEE			
3 Ext/1 Mnth	0	Response to OA	ed 'Courdijau"		025200-041	28 Sun REK/KS/
5 Ext/1 Mnth	o .	Missing Parts (2 Mo)	Fool	0 Powder Compacting Tool DECLARATION DUE	024944-160	
None .	0	Appeal to Court	Method for surface treatment of aluminum alloy hi	-		28 Sun JWP/AEK/CHJ
None	•	Req Reconsideration			:	
None	: : 0	File Appln - 30 Mo	Method for surface treatment of alluminum allow hi		J , 024703-006	28 Sun JWP/AEK/CHJ
None *	0	Formal Drawings Due		•	024445-050	28 Sun RLG/SWC/
None	0	Issue Fee Due	Tool for Chip Removing Machilning		024444-808	28 Sun RLG/AEK/
2 Ext/1 Mnth		Notice of Appeal		1	024444-808	28 Sun RLG/AEK/-
			Tool for Drilling/Routing of Printed Circuit Board	-	WC 024444-757	28 Sun RLG/WCR/SWC
None	0	SC - 1st OA	Application was filed 1/28/00		- 024060-119	20 SUN PNM/CFW/
T EXT AVAILABLE	CURRENT EXT	ACTION	REG/SERIAL#	VCE# IIILE / MARK	ייני נייניאייניאייניאייניאייני	
Page 12	4/29/02	Through:	ÓCT 1 0 2002			DUE PARA
			OIPE	· T	al Docket	Urgent Global Docket
						3

9 Ext/1 Mnth	Ν				•
		SO Ello Application		032535-039	28 Sún JWP/WLW/
None	0	Decision Petition ?	91(a)?		
4 ExV1 Moth	7 .	SC -File Application	e Having TV and Video Dov	032410-024	28 Sun CFW//
2 Ext/6 Mnth	0	Annuity Due	Magnetron Controller	032390-030	28 Sun AXW//-
1 Ext/6 Mnth	0	Annuity Due	Method And Apparatus For Electromagnetic Expo	032390-022	28 Sun AXW//
1 Ext/1 Mnth	N		Method and Apparatus for Electromagnetic Expos	032390-021	28 Sun AXW//
)	Inf Disclosure Stat	Transparent and/or Translucent Card	032326-180	28 Sun JAL//
4 Ext/1 Mnth	-	Corr. Appl. Papers	Core-Sheath Glass Fibers Substitute Drawings due	032264-006.001	28 Sun EJG//
None	0	Status Check	Time Switch Last response was filed 7/7/99	031310-026	28 Sun WCR//
None	Ο,	SC - 1st OA	Application was filed 9/28/00	00002-104	
3 Ext/1 Moth	0 1	Inf Disclosure Stmt	GaN Series Surface-Emitting Laser Diode Having	030681-357	28 Sun CFW// 28 Sun PNM/JAI /
	ပ	Inf Disclosure Stmt	Magnetic Head	030681-337	
None	o	SC - 1st OA	Radio Frequency Circuit Module Application was filed 6/28/00	030675-044	28 Sun PNM/CFW/
5 Ext/1 Mnth	0	Missing Parts (2 Mo)	Injection Molding Method and Injection Mold Asse BASIC FILING FEE, DECLARATION & ENGLISH TRANSLATION DUE	030673-132	
None 4 Ext/1 Mnth	→ c	Appeal Brief Due	Jet Printing Ink and Ink Jet Recording Method	030662-047	28 Sun PNM/JDB/WH
2 Ext/1 Mnth	· > ~	File Appln - 30 Mo	title	030560-058	28 Sun RLG/DMM/—
2 Ext/1 Mnth	۰ ــ	Inf Disclosure Stat	Setting a System for Assembling Mail Pieces	029150-118	28 Sun RLG/MLS/
2 Ext/1 Mnth	· ω	Inf Disclosure Stat	Catalyst Formulation Comprising Ceramic Foam	028650-064	28 Sun ALW/EJG/
	,	Appeal Briof Dis	Resin Composition and Laminate for Storage of Li	027650-958	28 Sun MLS/RGM/
None	0	Status Check	Method & apparatus for continuousty by polying in Request for examination was filed 4/28/00	027650-479	28 Sun RSS/MLS/
>	CURRENT EXT	ACTION	TITLE / MARK UI 1 0 2002 CLIENT REG/SERIAL#	REFERENCE#	DUE PARA
Page 13	Through: 4/29/02	Printed: 4/26/02 Through:	OF AN OF	Global Docket	ent A∏

4 7 Ext/1 Mnth 2 9 Ext/1 Mnth 0 None 3 None 0 5 Ext/1 Mnth	Req 30 Mo Instruct		A Gladiolus Hybrid Blant Balance	033166-008	28 Sun NHS/BSD/ (
Ci			Improved Inhibition of Graft Versus Host Disease FILE PCT 30 MO NATIONALS DUE 7/28/02	033136-191	GFS/MXM/DMG
	Missing Parts (2 Mo)	DECLARATION DUE	Safety Intravenous Set BASIC FILING FEE & DECLARA	032959-036	CFW//
	Inf Disclosure Stmt		Method And System For Transmitting Data Fax enclosing IDS information rec'd 3/22/02	032927-017.001	28 Sun RLG/KBL/
_	SC - Filing Receipt	nitting Data	Method And System For Transmitting Data Application was filed 9/28/01	032927-017.001	
	SC -File Application	lenesis	Combined Regulation of Neurogenesis		
4 7 Ext/1 Moth	SC -File Application SC -File Application	by Anti-IGF Antib	Regulation of Neural Stem Cells by Anti-JGF Antib	032901-026	
2 1 Ext/1 Mnth	Inf Disclosure Stmt	a Systemic Routes	Modulation of Neurogenesis Via Systemic Routes	032901-025	28 Sun MAD/PFH/
0 None	SC -File Application	FILE APPLICATION BY THIS DATE PER CLIENT INSTRUCTIONS	FILE APPLICATION BY THIS DATE PER CLIENT Solution For Keeping MG (Media Gateway) When	032868-006.001	28 Sun RLG/MGS/
			N/A	032842-088	28 Sun PCK//
0 . None	SC -File Application	NIA FILE APPLICATION BY THIS DATE PER CLIENT INSTRUCTIONS	NIA FILE APPLICATION BY THIS D	032842-087	
0 3 Ext/1 Mnth	Response to OA	10some 11q13.3	The composition of the compositi		28 Sup PCK/_/
0 3 Ext/1 Mnth	Response to OA		Novel Human Conce of Change	032796-053	28 Sun TSR/MXM/JFW
2 1 Ext/1 Mnth	Response to OA	losome 11a13.3	Novel Human Genes of Chromosome 11o13.3	032796-046	28 Sun TSR/MXM/CLN
		positions and Meth	Novel Urea Compounds, Compositions and Meth	032740-004	28 Sun GFS/MMH/
0 2 Ext/1 Mnth	Action Needed	tus for Blood Handling System	Mounting Apparatus for Blood F	032722-492	28 Sun PNM/WLW/
4 7 Ext/1 Mnth	Inf Disclosure Stat	ndering in Parallel A	Method and Apparatus for Rendering in Parallel A	032658-019	28 Sun KBL//
0	SC 5% Application Resp		Calibration Method	032631-027	28 Sun REK/AJJ/
0	Notice of Appeal	ation Recording Med	Read-Only Laminated Information Recording Med	032590-026	28 Sun REK/KS/
EXT AVAILABLE	ACTION	& IREAL &	Read-Only Laminated Information Recording Med	032590-026	April continued 28 Sun REK/KS/
CURRENT EXT		CLIENT OUT 1 0 7002 OF DECISEDING	TITLE / MARK	REFERENCE#	DUE PARA

					•	•
1 Ext/1 Mnth	2	Inf Disclosure Stmt	(US)	-		
None ·	0	Article 19 Amend Due	Permissible Operating Mode Determination in a D	reimssible Ope		
None	0	Req 30 Mo Instruct	FILE PCT 30 MO NATIONALS DUE 7/28/02	FILE PCT 30 MO NATIONALS		
None	0	Req 30 Mo Instruct	FILE PCT 30 MO NATIONALS DUE 7/28/02	FILE PCT 30 MC		28 Sun RIG/KBI/EME
None	. 0	Req 30 Mo Instruct	System and Method for Dual Microphone Signal	System and Met	040071-539	28 Sun RLG/KBL/
1 ExV1 Mnth	2	The Disclosure Stmt	Method and Apparatus for Estimating a Fequency	Method and App	040071-484	28 Sun RLG/MGS/SJT
1 ExV1 Moth		inf Disclosure Stmt	Method and Apparatus for Estimation of Phase Of	Method and App	040071-246	28 Sun RLG/MGS/TXT
			Methods and Apparatus for Channel Estimation U	Methods and Ap	040071-245	28 Sun RLG/MGS/TXT
None	0	SC - 1st OA	Methods and Apparatus for Performing Slot Hoppi STATUS LETTER REPLY RECVD 07/19/01	Methods and Appa STATUS LETTER	040010-414.001	28 Sun RLG/MGS/
None	O	SC - 1st OA	Methods and Apparatus for Measuring Control Ca Application was filed 12/28/99	Methods and Apparatus for MacApplication was filed 12/28/99	040010-413.001	28 Sun RLG/KBL/MJC
None		SC - 1st OA	Method And Apparatus For Maintaining Sequence Application was filed 9/28/00	Method And Apparatus For N Application was filed 9/28/00	040000-567	20 SUN KLG/SWP/
3 Fixt/1 Marth	o	Inf Disclosure Stmt	Male Genitals Protecting Underpants	Male Genitals I	033484-006	
1 ExV1 Mnth	N	Inf Disclosure Stmt	State of the state			28 Sun CFW//_
2 Ext/1 Mnth		Inf Disclosure Stmt	On-Board Fuel Inering System	On-Board Fuel	033490-002	28 Sun AEK/AJJ/
				Table	033434-002	28 Sun RLG/WCR/
None	0	SC - 1st OA	Storage Device Application was filed 4/28/00	Storage Device Application was	033428-005	20 SUN PCK/JPO/
3 Ext/1 Moth	0	Inf Disclosure Stmt	Vorrichtung zur Generatordiagnose bie eingebaut	Vorrichtung zu	033275-341	
3 Ext/1 Moth	O	Inf Disclosure Stmt	Air Energy System		033275-256.001	
None	0	SC - 1st OA	Measuring Sensor Positioning Application was filed 9/28/00	Measuring Se	033275-162	28 Sun RSS//
4 Ext/1 Mnth	-	Missing Parts (2 Mo)	verting Heavy Hydrocarbon Feed	Process for Condition	V 033259-026	28 Sun TGD/EJG/MLW
>	CURRENT	ACTION	CLIENT CLIENT UCI 1 0 2002	TITLE / MARK	XEYERENCE#	TAKA
Page 15	4/29/02	Printed: 4/26/02 Through: 4/29/02	S. C.		Í	ĄTI
					Global Docket	Urgent Global

BĻU-116	017750-624	14 Wed FGM/ALW/
BLU-116	017750-623	14 Wed FGM/ALW/
Use of a Histamine Antagoinist, An Interleuki	016800-438	14 Wed NHS/MAB/
Use of a Histamine Antagoinist, An Interleukin-1	016800-438	14 Wed NHS/MAB/
LES & Design	016241-138	14 Wed RLG/ALW/KZ
LES NOUVELLES	016241-137	14 Wed RLG/ALW/KZ
LES	016241-136	14 Wed RLG/ALW/KZ
Server Automatically Issuing Instruction Conce	009683-402	14 Wed PNM/JAL/
Apparatus and Method for Irradiating Cells	008450-011	14 Wed MLS//
Mixed Olefin Polymerization Catalysts,	008111-055	14 Wed RDH/NDP/
Mixed Olefin Polymerization Catalysts	008111-055	14 Wed RDH/NDP/
MIRROR-IMPACT-TECHNOLOGY	007919-064	14 Wed RLG/ALW/
Possible against COTTONELLE in Ba		
Possible Opposition+	006600-242	14 Wed GAH/ALW/
Use of Pout Point Depressants, heate	005950-778	14 Wed TGD/EJG/SFP
Removal of Feed Contaminants from	005950-776	14 Wed TGD/EJG/SFP
CAROLON	005300-047	14 Wed ALW//
CAROLON	005300-043	14 Wed ALW//
Method For Operation A Charger Fo	004501-568	14 Wed RSS//
System and Method for Electronic S Reminder - Form 1 and POA needed	003670-097	14 Wed MGS//PMY
Method For Making Sintered Produc	003300-609	14 Wed BSD/PKS/
FILING PER ALW DOCKET		
PICKPEN	028443-049	11 Sun ALW//
		August '02
TITLE / MARK &		DUE PARA
		REFERENCE# 028443-049 028443-049 003300-609 003670-097 005300-047 005950-776 005950-778 0006600-242 F 007919-064 N 008111-055 M 008450-011 A _I

1 ExV6 Mnth	0 1 E	Renewal Due			
None	0	SC - 1st OA	CAMY & Design	030821-079 CA	14 Wed BPL// 03
3 Ext/1 Mnth	0 3 8	Inf Disclosure Stmt	2	030682-107 lm	14 Wed PNM// 0:
None	0	SC - Certificate Reg	Linear Acturator Using Two Rotors	030681-380 Li	14 Wed CFW// 0:
1 Ext/1 Mnth	0	Verify Designations	WORLDSPACE		14 Wed FWH// 0
2 Ext/1 Mnth	0 2	Response to OA	Final Rejection Water-Enhanced Barding		_
None	0	Oral Hearing Date	Method of Making Cemented Carbide By Powder ROOM 12C07 CRYSTAL GATEWAY 2; 9:00AM 1225 JEFFERSON DAVIS HIGHWAY ARLINGTON, VA 22202	024444-592 F	•
None	0	Oral Hearing Date	ROOM 12C07 CRYSTAL GATEWAY 2; 9:00 AM 1225 JEFFERSON DAVIS HIGHWAY ARLINGTON, VA 22202		14 Wed Bl G/SWC
6 ExV1 Mnth	51	SC -File Application	Ferritic Stainless Steel Alloy and Its Use as a Sub	024444-505	14 Wed RLG/SWC/
6 Ext/1 Mnth	51	SC -File Application	Fluid Injection Microvalve	023890-097	14 Wed CHJ//
6 Ext/1 Mnth	ڻ -	SC -File Application	Capillary Interconnect Device	023890-096	14 Wed CHJ//
6 Ext/1 Mnth	CTI	SC -File Application	Microvalve	023890-095	14 Wed CHJ//
6 Ext/1 Mnth	СЛ	SC -File Application	High Pressure Capillary Connector	023890-094	14 Wed CHJ//
6 Ext/1 Mnth	Οi	SC -File Application	Edge Compression Manifold Apparatus	023890-093	14 Wed CHJ//
			Micromanifold/Septum Assembly	023890-092	14 Wed CHJ//
None	0	Action Needed	Adams' raply brief to our opposition; Our raply to Adams' opposition to our motion to supprass; and Our opposition to Adams' motion to supprass		
None	0	Foreign Filing Due	Adams v. Leemans	V 021565-008.001	14 Wed RDH/MKM/BWW 021565-008.001
5 Ext/1 Mnth	<u> </u>	Annuity Due	POSITION TECHNOLOGY	021310-036	14 Wed ALW//
1 Ext/1 Mnth	2	Inf Disclosure Stmt	Single and Multi-Layer Variable Protection Device	020327-023	14 Wed TGD//
1 Ext/1 Mnth	N	Response to OA		019519-356	14 Wed PNM/RGM/
AVAILABLE	EXT	ACTION		018995-437	August continued 14 Wed PNM/RGM/
ي	V15/02	Printed: 8/14/02 Through: 8/15/02	OCT 1 0 2002 0	REFERENCE#	DUE PARA
			OIPE	Docket	Urgent Global

Iobal Docket ATTY2 RAT REFERENCE# TITLE / MARK d	None	0	Status Check		James J. Hogan v. Donald	032730-001 ງ _ຄ	14 Wed RDH/SMD/
A Docket TITLE / MAPRX				Will we be filing?	has been on		
PRIVATIVA REFERENCES TITLE I MARK CLIENT ORT 1 0 000 PROMES BY 402 Timough: BY 502 Page Printed BY 402 Timough: BY 502 Page Page Printed BY 402 Timough: BY 502 Page Printed BY 402 Timough: BY 502 Page Printed BY 402 Timough: BY 502 Page P	None	ω	nf Disclosure Stmt	Inf E	/A		14 Wed PNM/WLW/AEK
CEGIDDAIL Docket TITLE / MARK	None	ω	nf Disclosure Stmt		ookup Engine		14 Wed KBL//
Industrial Ind			OC -File Application		he Processing Architectu		14 Wed KBL//
Clibal Docket Trivating Page Privating Page Page Privating Page Page Privating Page Pag					l/A		14 Wed RLG/AJJ/
Clight Docket Trivatity Page Printed: 814402 Though: 81502 Page	None	0	File Application		TILE APPLICATION BEFO		
REFERENCE TITLE / MARK CLIENT OCT 1 DAM REGISERIAL ACTION CURRENT AVAILABLE OCTOR DAM OCTOR D	1 ExV1 Mnth	4	Appeal Brief Due				14 Wed PCK//
TTT2 A REFERENCES TITLE / MARK CLIENT OCT 1 0.000 Printed: 8/14/02 Through: 8/14/02 Pege ANDIADELE TITLE / MARK CLIENT OCT 1 0.000 Printed: 8/14/02 Through: 8/14/02 Pege Philhod: 8/14/02 Pege Philhod: 8/14/02 Through: 8/14/02 Through: 8/14/02 Pege Philhod: 8/14/02 Through: 8/14/02 Throug	3 Ext/1 Mnth	0	Notice of Appeal		Comparative Fluorescence		14 Wed BJB/WLM/MKM
ATTY2					System and Method of A	032404-012	14 Wed PNM/CFW/
ATTY2 ATTY2 ATTY2 REFERENCE# TITLE / MARK RATION REFERENCE# TITLE / MARK REFER		RT TO KBL (COPY OF THE PAIR REPO		Royd status Itr reply 3/6/05/13/02		-
Printed: 8/14/02 Through: 8/15/02 Page		•	SC - 1st OA	tronic Apparatus	Device for Protecting an E		14 AAGO VERNAMENTA
Global Docket CIENT CIENT CIENT CIENT CONTRECT CHARK CHENT CONTRECT CHENT CONTRECT CO	1 Ext/1 Mnth	N	Inf Disclosure Stmt		Glass Compositions for L		
Global Docket VIATIV2 PARRA REFERENCE# TITLE / MARK CLIENT OCT 10 1000 PRESIDENT ACTION REGISERIAL# ACTION CURRENT ENTRY ACTION REGISERIAL# ACTION CURRENT ENTRY AVAIL Fer Bull 228/02 DOCKET 1 MO EOT REQUESTED TO 3/28/02. PER BIN 3/28/02 DOCKET A 1 MO EOT ON 8/25/02. As associate to request a further extension of time on 8/5/02. PER BIN 4/24/02 FIND ENTRY AVAIL FOR BIN 228/02 DOCKET A MO EOT REQUESTED TO 3/28/02. PER BIN 3/28/02 DOCKET A 1 MO EOT ON 8/25/02. As associate to request a further extension of time on 8/5/02 FITU Extension Due OTHERMS OF THE ENTRY AVAIL TO 3/2/18-054 TROPIAN TERCEM 3000 TERCEM	1 Ext/1 Mnth	N	Inf Disclosure Stmt		Glass Compositions for L		14 Wed F.IG//
Client C		-				033364 084 004	14 Wed E.IG//
Global Docket V1ATTY2 PARA REFERENCE# TITLE / MARK CLIENT OCT 1 0 200 Decision on Petition OCT 1 0 200 EXT AVAIL Renewal Due OCT 1 0 200 Decision on Petition OCT 2 200	4 Ext/6 Mnth	- .	Statement of Use Due			032256-003	14 WEG BN1//
Printed: 8/14/02 Through: 8/15/02 Page A REFERENCE# TITLE / MARK CLIENT O31006-007 IMPERIAL RUSSIAN STOUT & Device Potition to amend bases filed 5/14/02 do we have a decision yet? O31392-000 CAVED-(S) O31786-020 RB-51 O31786-020 RB-51 GYNAZOLE 1 PER BNI 2728/02 DOCKET 1 MO EOT REQUESTED TO 3/28/02; PER BIN 3/28/02 DOCKET A 1 MO EOT REQUESTED TO 4/28/02; PER BNI 4724/02 O32219-054 TROPIAN TO PER DOCKET A TROPIAN ITU Extension Due O 1 Ext/6	4 Fyt/8 Math	<u>.</u>	Statement of Use Due	S	. 3		
TTY2 REFERENCE# TITLE / MARK O31006-007 IMPERIAL RUSSIAN STOUT & Device Polition to amend bases filed 5/14/02 do we have a decision yel? O31392-000 CAVED-(S) O31786-020 RB-51 O32058-124 GYNAZOLE 1 PER BNI 228/02 DOCKET 1 MO EOT REQUESTED TO 3/28/02; PER BIN 3/28/02 DOCKET A 1 MO EOT REQUESTED TO 4/28/02; PER BIN 3/28/02 DOCKET A 1 MO EOT REQUESTED TO 4/28/02; PER BNI 4/24/02 O32219-054 TROPIAN OVER Printed: 8/14/02 Through: 8/15/02 Page Printed: 8/14/02 Page Printed: 8/14/02 Through: 8/15/02 Page Printed: 8/14/02 Through: 8/15/02 Page Printed: 8/14/02 Page Printed: 8/14/02 Through: 8/15/02 Page Printed: 8/14/02 Pag	None	0	ITU Extension Due		TROPIAN	032219-054	14 Wed CAL/HCT/
Printed: 8/14/02 Through: 8/15/02 Page REFERENCE# TITLE / MARK CLIENT 031006-007 IMPERIAL RUSSIAN STOUT & Device Pelition to amend bases filed 5/14/02 do we have a decision yet? 031392-000 CAVED-(S) 031786-020 RB-51 O32058-124 GYNAZOLE 1 PER BNI 228/02 DOCKET 1 MO EOT REQUESTED TO 3/28/02; PER BIN 3/28/02 DOCKET A 1 MO EOT REQUESTED TO 4/28/02; PER BNI 4/24/02 OX PER BNI 3/28/02 Page Printed: 8/14/02 Through: 8/15/02 Page Printed: 8/14/02 Through: 8/15/02 Page Printed: 8/14/02 Through: 8/15/02 Page CURRENT EX ACTION EXT AVAIL OX OX PRESIDENT A 1/02 TO SUBJECT TO 1/28/02; PER BNI 3/28/02 DOCKET A 1 MO EOT REQUESTED TO 4/28/02; PER BNI 4/24/02 OX O			20,0/2		TROPIAN	032219-054	14 Wed CAL/HCT/
TTY2 A REFERENCE# TITLE / MARK CLIENT OCT 1 0 2002 Printed: 8/14/02 Through: 8/15/02 Page Printed: 8/14/02 Through: 8/15/02 Page CURRENT EX CURRENT EX Printed: 8/14/02 Through: 8/15/02 Page CURRENT EX ACTION EXT AVAIL O31092-000 CAVED-(S) O31392-000 CAVED-(S) O31786-020 RB-51 CLIENT OCT 1 0 2002 REG/SERIAL# ACTION Petition on Petition 0 Renewal Due O 1 EX/05 O 1 EX/05		0 ER BNI 4/24,	Off Action Resp Due REQUESTED TO 4/28/02; P	3/28/02; PER BIN 3/28/02 DOCKET A 1 MO	PER BNI 2/28/02 DOCK DOCKET A REQUEST I		
Global Docket V1/ATTY2 PARA REFERENCE# TITLE / MARK CLIENT OCT 1 0 2001 REG/SERIAL# ACTION EXT AVAIL O31006-007 IMPERIAL RUSSIAN STOUT & Device Polition to amend bases filed 5/14/02 do we have a decision yet? O31786-020 RB-51 OT 1 0 2001 REG/SERIAL# ACTION Decision on Petition O 1 EX/6	None	` O	SC - Certificate Reg	S	GYNAZOI E 1	032058-124	14 Wed RHM/BNI/
Printed: 8/14/02 Through: 8/15/02 Page PARA REFERENCE# TITLE / MARK CLIENT OCT 1 0 2002 W REG/SERIAL# ACTION EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page		0	Renewal Due		RB-51	031786-020	14 Wed BPL//
ARA REFERENCE# TITLE / MARK CLIENT CLIENT OCT 1 0 2002 REG/SERIAL# ACTION EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT AVAILABLE Printed: 8/14/02 Through: 8/15/02 Page					CAVED-(S)	031392-000	14 Wed BPL//
Printed: 8/14/02 Through: 8/15/02 Page 1/ATTY2 PARA REFERENCE# TITLE / MARK CLIENT CLIENT ST AVAILABLE 2 Printed: 8/14/02 Through: 8/15/02 Page Printed: 8/14/02 Through: 8/15/02 Page CURRENT EXT EXT AVAILABLE	None	0	Decision on Petition	a decision yet?	IMPERIAL RUSSIAN S Petition to amend bases	031006-007	
Printed: 8/14/02 Through: 8/15/02 Page REFERENCE# TITLE / MARK CLIENT OLD 2002		EXT	ACTION	REG/SERIAL#			August continued
Docket	Page	8/15/02 CURREN	Through:	NCT 1 0 2002 E	TITLE / MARK	İ	1
				PE			Urgent Globa

Check status of suspansion: PER PAIR 9/2012 A PAYORABLE DECISION MAN SEED WE DID NOT RECEIVE IT. SENT CORPY OF THE PAIR TO Sensing and Balanching Currents in a Baliast Dim Methods for Screaning Compound Libraries Methods for Screaning Compound Compound Libraries Methods for Screaning Compound Libraries Methods for Scre	-804 Support Bar And Method For Forming A Support	15 Inu PNM/ 000400-804
Status Check ON WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Applin File Application SC - Office Action SC - File Application		14 Wed RLG/MGS/ 060000-114
Status Check OECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appin File Application O SC - Office Action O SC - File Application O NO SC - Tst OA O NO O O O O O O O O O O O O O O O O		14 Wed RLG/KBL/PLC 040071-975
Status Check 2 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appin File Application SC - Office Application SC - File Application No		
Status Check 22 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appin File Application O SC -File Application		
Status Check 22 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appin File Application SC - File Application	_	
Status Check R 6/12/02 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appin 1 File Con/Div Appin 0 3 Exu1 ASAP ASAP SC - Office Action 0 Near PLEASE DO A STATUS Siectric C File Application 0 SC - File Application	·	14 Wed RLG/SWP/DHP 040001-177 14 Wed RLG/SWP/DHP 040001-178
Status Check 2 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appin File Application SC - Office Action O SC -File Application SC -File Application SC -File Application File Con/Div Appin SC -File Application O File Con/Div Appin File Con/Div Appin O 1 Ext/1 N	040000-793 Efficient Arithme Received Disclo	•
Status Check 0 Status Check 0 Status Check 0 Status Check 0 File Con/Div Appin 1 File Con/Div Appin 0 SAPPLICATION FILED ASAP: Memory Storage Assembly Havi as filed 1/14/02; NOT IN PAIR. PLEASE DO A STATUS Holder Capable of an Electric C file Sy14/01; Will we be filing? Status Check 0 File Con/Div Appin 1 File Con/Div Appin 0 SEVIT Application 0 Application 0 SC - Office Action 0 No Sexut No Sc - File Application 0 SC - File Application 10 1 Exut No Sc - File Application 10 1	033537-028 13C Glucose Br <i>MAD handling</i>	14 Wed MAD/GMY/ 0335
In Per Palir 6/12/02 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appin TION FILED ASAP: Torage Assembly Havi A/02: NOT IN PAIR. PLEASE DO A STATUS Pable of an Electric C School Status Check O Status Check O File Con/Div Appin 1 File Con/Div Appin O 3 EXV1 File Application O Nissing Parts (2 Mo) O 5 EXV1 N	033528-004 N/A This has been on	i
Status Check OPABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appin Response to OA File Application O File Application O POA STATUS SC - Office Action O N	033494-014 A Cellular Phone Holder Ca Declaration & Filing fee due	
Status Check 02 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appin 1 Response to OA 0 3 Ext/1 File Application 0	033428-007 Rack Mountabl	1
Status Check 0 02 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appln 1 Response to OA 0 3 Ext/1	033136-308 N/A CLIENT WANT	í
Status Check 0 12/02 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO File Con/Div Appln 1 Response to OA 0 3 Ext/1	CLIENT WAN	
Status Check 0 12/02 A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO t Dim File Con/Div Appln 1	033136-307 N/A	14 Wed GFS/DMG/ 033
A FAVORABLE DECISION WAS MAILED. WE DID NOT RECEIVE IT. SENT COPY OF THE PAIR TO	032978-052 Methods for S	14 Wed GFS/WHB/BEM 03:
	032755-002 Sensing and E	14 Wed JWP/PCK/DLM 03
	032751-016 Defective Ade Check status SMD.	14 Wed NHS/TSR/SMD 03
CLIENT	- 1	j
Printed: 8/14/02 Through: 8/1	REFERENCE# TITLE / MARK	DUE PARA RE

Urgent Global	Docket	OIP E			
ATTY1/ATTY2	REFERENCE#	OCI 1 0 ZOUZ (%)	Printed: 8/14/02 Through	Through: 8/15/02	Pa
August continued 15 Thu RLG/MGS/	000500-203	CLIENT X REG/SERIAL#	ACTION	CURRENT	AVAILABLE
		Application was filed 10/15/99	SC - 1st OA	0	None
15 Thu RLG/KBL/	000500-277	H2 Sleep Interactions			
		entorship under cfr 1.48(d) and statement in support thereof filed: Status was	Decision Petition ?	0	None
15 Thu ALW//	001575-053	oration vs. Association of Energy S	3/02		
		Ext to 5/15/02 EXT. TO 6/15/02 PER FLORIE; EOT TO 7/15/02 PER FLORIE; EOT TO 9/15/02		9	1 Ext/1 Mnth
15 Thu JWP/JAL/JPO	001580-399	Persistent State Database for Operating System			
15 Thu JWP/JAL/KS	001580-768	Method and System for Color Matching Between	Response to OA	8	1 Ext/1 Mnth
15 Thu GFS//	002010-675	3 (Heteroaryl) Alanine derivatives-Inhibitors of Leu	Response to OA	0	3 Ext/1 Mnth
15 Thu BSD/WLW/	003300-747	Respiratory Filter	Resp to Written Opn	0	None
15 Thu NHS/TSR/	004900-213	Use of Strains of Streptococcus Thermonhilus whi	Cor of Ntc of Record	0	None
15 Thu TGD/WHB/BEM	005950-735	Higher Diamondoid Modified Surfaces	Inf Disclosure Stmt	N	1 Ext/1 Mnth
15 Thu GAH/ALW/	006600-242	Possible Opposition+	SC -File Application	10	1 Ext/1 Mnth
		Possible against COTTON CARE in Greece - No. 155520	Opp Filing Deadline	0	None
15 Thu RDH//	008111-117 F	Polyolefin Catalysts			
15 Thu EJG//	013400-173 N	Non-Woven Fiber Webs with Nylon Binder DECLARATION DUE	Missing Parts (2 Mo)	→ 0	None 4 Ext/1 Mnth
EJG//	013400-175 P	Process and Apparatus for Making Sheet of Fiber DECLARATION, SUBSTITUTE DRAWINGS DUE	Missing Parts (2 Mo)	<u>.</u>	4 ExV1 Mnth
15 Thu EJG//	013450-391 G C	Glossy Ink Jet Medium Cannot extend	Resp to Written Opn	0	None
15 Thu PKS/JWP/ (015290-546 Tu Fo	Turnable Multi-Zone Gas Injection System FOREIGN FILING DUE 10/15/02	Ask Client re FF	0	None
15 Thu PKS/EXB/ 0	015290-612 N/A FILE	NIA FILE UTILITY APPLICATION BY THIS DATE PER CLIENT INSTRUCTIONS	File Application	0	None
15 Thu WCR/JGK/— 0	015291-072 Co Co	Coated Gypsum Board Products and Method of M I	Action Needed	o	None
•					

. ATTY1/ATTY2		0CI 1 0 2002 C	Printed: 8/14/02 Through: 8/1	8/15/02	Page
contii			ACTION	CURRENT EXT	NT EXT AVAILABLE
15 Thu JAL//	016660-061	Methods And Apparatus For Measurement Of LC Application was filed 11/15/00; NOT IN PAIR. PLEASE DO A STATUS	SC - 1st OA	0	None
15 Thu NHS/GFL/	016800-236				
15 Thu NHS//	016800-387	Hydroxystibene Compounds For Reducing/Inhibiti	Response to OA	N	1 Ext/1 Mnth
15 Thu NHS//	016800-387	Hydroxystibene Compounds For Reducing/Inhibiti	Notice of Appeal	0	3 Ext/1 Mnth
15 Thu NHS//	016800-492	_	Final Rejection Resp	0	3 Ext/1 Mnth
		PROVISIONAL COVER SHEET	Missing Parts (2 Mo)	2	3 Ext/1 Mnth
15 Thu PCK//	017750-514	Process for Imparting High Strength, Ductility and Have we received the Patent?	Status Check	0	None
15 Thu PCK/SWC/RJM	017750-557	Title - classified PETITION FILED TO RESCIND THE RESTRICTION REQUIREMENT OF SERT 25 FILES COMP.	Response to OA	0	None
15 Thu NHS/TSR/	The state of the s	70/8/ CO 11/2/ 120: 1/2/ 1			
15 Thu PNM/RSJ/EME	017753-109	New Internal Ribosome Entry Site and Vector Con Cabinet Regimbeau. (US) 09/214/124 Last response was filed 11/15/01; PER PAIR 6/13/02 APPLICATION WAS ASSIGNED TO EVALUATION.	- Office Action	6	
15 Thu PNM/EME/-	017753-109	n Cabinet Regimbe <u>a也。</u> 3/02 APPLICATION WAS ASSIGNED TO EXAMINER®	SC - Office Action	0	None
15 Thi PKS/EVB/		/ector Con Cabinet Regimbe <u>au (US)) 09/214/024</u> PAIR 6/13/02 APPLICATION WAS ASSIGNED TO EXAMINER®	Office Action	-	2 Ext/
ייליר אַנייריירייריירייריירייריירייריירייריירייר		New Internal Ribosome Entry Site and Vector Con Cabinet Regimbeau (US)) 109/214/124 Last response was filed 11/15/01; PER PAIR 6/13/02 APPLICATION WAS ASSIGNED TO EXAMINER 2/6/02 Server Apparatus, Product Distribution System, Product Changing Device for Chip Parts N/A	- Office Action Disclosure Stmt - Corrected FR	0 1	2 Ext
PKS//		w Internal Ribosome Entry Site and Vector Con Cabinet Regimbeau. (US) 109/2/18/12/4 tresponse was filed 11/15/01; PER PAIR 6/13/02 APPLICATION WAS ASSIGNED TO EXAMINERY VER Apparatus, Product Distribution System, Prude Changing Device for Chip Parts	Disclosure Stmt - Corrected FR - Application	2 0 1	2 Ext/
PKS//		w Internal Ribosome Entry Site and Vector Con Cabinet Regimbeau (US)) 09/2(198)24 09/2(198) 09/2(198) 109/2(19	Office Action Disclosure Stmt - Corrected FR - Application - File Application	3 2 0 1	2 Ext/1
PKS//	σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ	w Internal Ribosome Entry Site and Vector Con Cabinet Regimbeau (US)) 09/23/23/23/24 St response was filed 11/15/01; PER PAIR 6/13/02 APPLICATION WAS ASSIGNED TO EXAMINER 20 Yer Apparatus, Product Distribution System, Produce Changing Device for Chip Parts	Disclosure Stmt - Corrected FR - Application - File Application	2 2 0 1	2 Ext/1 8 Ext/1
PKS// PKS//		wy Internal Ribosome Entry Site and Vector Con Cabinet Regimbeau (IUS) 109/24/38/124/25 st response was filed 11/15/01; PER PAIR 6/13/02 APPLICATION WAS ASSIGNED TO EXAMINERS (IVER) Product Distribution System, Product Changing Device for Chip Parts	Disclosure Stmt - Corrected FR - Application - File Application - File Application	2 2 3 2 0 1	2 Ext/1 8 Ext/1 9 Ext/1
PKS// PKS// PKS//	7 7 7 7 7 7	w Internal Ribosome Entry Site and Vector Con Cabinet Regimbe <u>au (US)) 109/24/3/024</u> st response was filed 11/15/01; PER PAIR 6/13/02 APPLICATION WAS ASSIGNED TO EXAMINER'S rver Apparatus, Product Distribution System, Pr Itude Changing Device for Chip Parts	Disclosure Stmt - Corrected FR - Application - File Application - File Application - File Application	2 2 2 2 2 2	2 Ext/1 8 Ext/1 9 Ext/1 9 Ext/1
PKS// PKS// PKS// PKS// PKS//	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	w Internal Ribosome Entry Site and Vector Con Cabinet Regimbeating (US) 109/12/13/124. Ist response was filed 11/15/01; PER PAIR 6/13/02 APPLICATION WAS ASSIGNED TO EXAMINERYD Iver Apparatus, Product Distribution System, Pr Itude Changing Device for Chip Parts	Disclosure Stmt - Corrected FR - Pile Application - File Application - File Application - File Application	2 2 2 2 3 2 0 1	2 Ext/1 8 Ext/1 9 Ext/1 9 Ext/1 9 Ext/1
PKS// PKS// PKS// PKS// PKS// PKS// O	2 2 2 2 2 2 2	will internal Ribosome Entry Site and Vector Con Cabinet Regimbeau (US) 109/2(14)(124, 15) 170 170 170 170 170 170 170 170 170 170	Disclosure Stmt - Corrected FR - Corrected FR - File Application		2 Ext/1 8 Ext/1 9 Ext/1 9 Ext/1 9 Ext/1 10 Ext/1
PKS// PKS// PKS// PKS// PKS// PKS// O PKS// O	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	sew Internal Ribosome Entry Site and Vector Con Cabinet Regimbeauth 2009/24/24/2009/24/2009/24/24/24/24/24/24/2009/24/24/24/24/24/24/24/24/24/24/24/24/24/	Disclosure Stmt - Corrected FR - Pile Application - File Application		2 Ext/1 8 Ext/1 9 Ext/1 9 Ext/1 10 Ext/1
PKS// PKS// PKS// PKS// PKS// PKS// O PKS// O O O O O O O O O O O O	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	winternal Ribosome Entry Site and Vector Con Cabinet Regimbeau (US)) 109/24/3/024 ist response was filed 11/15/01; PER PAIR 6/13/02 APPLICATION WAS ASSIGNED TO EXAMINERY (Inver Apparatus, Product Distribution System, Profittude Changing Device for Chip Parts	Disclosure Stmt - Corrected FR - Corrected FR - File Application		2 Ext/1 8 Ext/1 9 Ext/1 9 Ext/1 10 Ext/1 10 Ext/1

15 ihu RLG/MGS/ 027557-075			15 Thu RLG/MGS/— 027555-077	15 Thu PNM/EME/ 027260-537	15 Thu PNM/EME/ 027260-269	15 Thu GFS/MAD/ 026579-446	15 Thu JWP/CHJ/ 025265-204		RLG/AEK/		15 Thu RGM// 024637-124	15 Thu RLG/SWC/ 02444	15 Thu RLG/SWC/ 02444		15 Thu RLG/ALW/ 02400	15 Thu CHJ// 0238	15 Thu NHS/MLW/ 0227		15 Thu NHS/MLW/ 0227	15 Thu NHS/MLW/ 0227	15 Thu SCM/MLS/ 021	15 Thu PKS// 021	August continued 15 Thu PKS// 021	DUE PARA REF	Urgent Global Docket
•									.001		,	024444-937 A	024444-937 A		024001-408 F	023890-031	022701-643		022701-643	022701-643	021500-118	021238-541	021238-540	REFERENCE#	cket
DC/DC Converters	Method & System for Desychronizing Overhead M Status letter sent 4/4/00 & 1/15/01	Last response was filed 1/15/01	Enhanced Sleep Mode in a Radiocommunication	Semiconductor Device Having A Semiconductor	Semiconductor Integrated Circuit with Test Pads f	Processes for the Preparation of Gal(1->4)b-Gal(Ophthalmic lenses	DECLARATION DUE	Polyurethane Adhesive for Windsheild Application	Last raponse was filed 11/15/01; NOT IN PAIR. PLEASE DO A STATUS.	Method and Manufacture of a Wound Dressing f	Austenitic Alloy	Austenitic Alloy	LAST DAY TO REVIVE APPLICATION	PRECISION TWIST DRILL & Accident	In-Vacuum Exposure Shutter	Aqueous Emulsions of Oils and/or Preferably Mas R	FILE DIVISIONAL APPLICATION (022702-009)	Action is Smilein and in the same in the s	Aqueous Emulsions of Oils and/or Preferably Mas	Production Of Heated Windows	NIA	4DEMARK		OIPE
Corrected Assign Due	Statuş Check	Status Check	Inf Disclosure Stmt	Response to OA	PCT 20 Mo Nationals	SC -File Application		Missing Parts (2 Mo)	Inf Disclosure Stmt	SC - Office Action	Final Rejection Resp	Notice of Appeal		Action Needed	Notice of Appeal	Final Rejection Resp		File Con/Div AppIn	Notice of Appeal	Response to OA	SC -File Application	SC -File Application	# ACTION	Through: 8/15/02	
0	0	0	0	` ω	0	1		-	0	0	0	0		0	0	ယ		0	ω	0		_	EXT	: 8/15/02	
None	None	None	3 Ext/1 Mnth	None	None	None		4 Ext/1 Moth	3 Ext/1 Mnth	None	3 Ext/1 Mnth	3 Ext/1 Mnth		None	3 Ext/1 Mnth	None		None	None	3 Ext/1 Mnth	10 Ext/1 Mnth	10 Ext/1 Mnth	AVAILABLE	Pa	

	15 Thu GFS/JLH/MMH 032	15 Thu PNM/WLW/BOS 03	15 Thu ALW// 03		IAI //	15 Thu JAL// 03	15 Thu JAL// 0;	15 Thu RLG/ALW/ 0	'15 Thu WHB/JLH/ 0	15 Thu JPO/HCT/ C	15 Thu RDH/WCR/RDV (15 Thu BPL/BNI/		15 Thu BPL//	15 Thu BPL//	15 Thu BPL//	15 Thu CFW//	15 Thu CFW//	15 Thu RGM//	15 Thu RGM//		15 Thu TSR/DHY/	15 Thu TSR/DMM/	t contii	DUE PARA	Urgent Global
•	032740-016 A	032722-096 S	032401-041 C	032326-194 N			032326-044	032287-016	032277-031	031994-018	031507-026.001	031067-000.168		030977-028	030821-184	030794-084	030681-390	030681-375	029430-515	029430-514	028877-076	028753-028.001	028750-225	ייני היינואיים		Docket
	Antibacterial Lincosamide Analogues	Sensing Elements and Methods for Uniformly Ma	CHRONOPASS	Method for Improving the Performance of a Multip Application was filed 1/15/02		N/A	Dynamic Data Interpretatin Method for a China	XESS	Aryl-Nitrone Compounds and Methods of Use as	VBOX	Frank Sever, Jr. V. Morton G. Glickman et al Plaintiff must designate all trial experts and provide objections.		OPPOSITION FILED 02/15/02 HAS	Ceramiche Gardenia Orchidea S. A. Gardenia	CLASSIC GREY	MISCELLANEOUS DESIGN	Evaporator of CPL Cooling Apparatus Having Fin	Micro Structure for Vertical Displacement Detectio	Method for Purifying-5'-Protected Thymidines and	Agricultural Composition	Accurate Battery Voltage Measurement System f Power of Attorney and Formal Drawings due: nouched BOAs to VA	Methods for Eradication of Nanobacteria	FFEC	CLIENT OUT 1 0 2002 REG/SERIAL#		/
SC -File Application	Action Needed	Off Action Resp Due		SC - Filing Receipt	SC -File Application	Petition to Revive	SC - Pros Suspended	SC -File Application	SC - SOU Approval		Renewal Due	EEN REACHED??	SC - Status Check	SC - Pros Suspended	SC - Prosecution	Inf Disclosure Stmt	Inf Disclosure Stmt	Inf Disclosure Stmt	Inf Disclosure Stmt	vings	Resp to Invitation	SC -File Application Appleal Brief Duc		ACTION	Printed: 8/14/02 Through:	
ယ	0	0	,	0 -		12	0	4	0	•	O -1		0	0	0	0		0	0	ć	4 C	. თ	EXT	CURRENT	8/15/02	
8 Ext/1 Mnth	None	None	ā	None		None	None	7 Ext/1 Mnth	None	None	None	č	None	None	None	3 Ext/1 Mnth	2 Ext/1 Mnth	3 Ext/1 Mnth	3 Ext/1 Mnth	י מאלו אחנה	1 Ext/1 Mnth	5 Ext/1 Mnth	AVAILABLE	- 1	Page 8	

Lange Lang					r •	•
	Ext/1 N	1	Wissing Parts (2 Mo)		DE	•
Property	None	0	SC - Office Action			CFW//
ATTY/MATTY REFERENCES TITLE / MARK DET 1 000	Ext/1 N		Response to OA	Building Boards		WCR//
REFERENCES TITLE MARK	4 Ext/1 Mnth	7 4	SC -File Application			RSS//
RETINIATIV2 REFERENCE# TITLE / MARK QUIT 10 2000 RETINIATIVE RETINIATIVE REFERENCE# TITLE / MARK QUIT 10 2000 RETINIATIVE REFERENCE# TITLE / MARK QUIT 10 2000 RESISTANCE	Ext/1 Mnth		SC -File Application			MAD/PFH/
Retail Giobal Docket	3 Ext/1 Mnth		Response to OA	ammalian Cell Surface Antigens; Related Reag	•	MAD/PFH/
RATIVI/ATIV2 REFERENCE# TILE / MARK ROTT 0.000 ROTT 0.000 ROSPALA REFERENCE# TILE / MARK ROTT 0.000 ROSPALA ROTTON ROSPALA	None	0	Status Check	oof Step System		CBR//
ATTY/I/ATTY2 REFERENCES TITLE / MARK DET 1 0 0000 DET 1	6 Ext/1 Mnth		SC -File Application	accines Raising an Immunological Response Ag		SEC//
ATTY/IATTY2 BEFRENCE# TITLE / MARK BOT 0 2000 BULENT	None	0	Notice of Appeal Due	ompositions Containing Aromatic Aldehydes an		WHB//
### REFERENCE# TITLE / MARK CONTINUENT C	None	0	Final Rej Resp Due	OYAL DOULTON & Design		BPL//
RETTY/IATTY2 ATTY/IATTY2 REFERENCE# TITLE / MARK PRINCE BYAIO2 Through: 8/15/02 ATTY/IATTY2 REFERENCE# TITLE / MARK RESIDENCE TO	None	0	Issue Fee Due	OYAL DOULTON & Design		BPL//
REPRIA Global Docket ATTY MATTY REFERENCE# TITLE / MARK OTT 1 0 2002 BLENT ACTION CURRENT CONCENTION RESIDENCE TOD/DRH/ 033018-110 PASIC 033018-111 N/A PRINCE Controlled Temperature Profile Capilla PRS/ 033018-111 N/A PRS/ 033018-111 N/A PRS/ 033018-113 N/A Semiconductor Light Emitting Device and Manufa OFS/MAXM/DMG 033136-125 Endothelial Lining Effects and Treatment of Vaso GFS/MLS/AJJ 033025-020 Method for Removing Sulfur to Ultra Low Levels f Response to OA Response to OA Sibitus Check 0 Sibitus Check 0 Sibitus Check 0 OTT 1 0 2002 PRINCE PRINCE BY ACTION CURRENT SC -File Application SC -File Application 3 8 SC -File Application 3 9 SC -File Application 4 7 File Application 5 9 SC -File Application 5 9	None	0	Publication Fee Due	:lectric Machine		RSS//
REPERENCE# TITLE / MARK DET 10 2001 PARA REFERENCE# TITLE / MARK DET 10 2001 PARA REFERENCE# TITLE / MARK DET 10 2001 PARA REFERENCE# TITLE / MARK DET 10 2001 PROJUBILIENT REPERENCE# TITLE / MARK CURRENT RESTRICT REQUIRE-30 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Electric Machine		RSS//
PERIL Global Docket OLT 1 0 2002 ATTY HATTY 2 PARA REFERENCE# TITLE / MARK OLT 1 0 2002 PARA REFERENCE# TITLE / MARK OLT 1 0 2002 PRINCE STOOM PRINCE STOOM PARA REFERENCE# TITLE / MARK OLT 1 0 2002 PRINCE STOOM PRINCE STOOM PARA REFERENCE# TITLE / MARK OLT 1 0 2002 PRINCE STOOM PRINCE STOOM PRINCE STOOM PARA RESTORMENT ON THROUGH SET TURING WHAT STOOM PARA RESTORM PRINCE STOOM PRINCE STOO	None	0	Status Check	Request for Examination was filed 10/15/99		
ATTY INATTY2 PARA REFERENCE# TITLE / MARK UT 1 0 2002 PARA REFERENCE# TITLE / MARK UTGD/DRH/ 032994-047 Subcutaneous Injection Set Tubing wild Several B PRISITED		0	Filing Details	Method for Removing Sulfur to Ultra Low Levels f		
ATTY I ATTY2 PARA REFERENCE# TITLE / MARK PARA TOD/DRH/ D33018-084 PKS// D33018-111 PKS// D33018-111 PKS// D33018-111 PKS// D33018-111 PKS// D33018-111 PKS// D33018-111 N/A PKS// D33018-113 N/A Semiconductor Light Emitting Device and Manufe SES/MXM/IDMG DST PROSPORTE SIZE Conductor Light Emitting Device and Manufe SES/MXM/IDMG DST PROSPORTE SIZE Conductor Light Emitting Device and Manufe SES/MXM/IDMG DST PROSPORTE SIZE Conductor Light Emitting Device and Manufe SES/MXM/IDMG DST PROSPORTE SIZE Conductor Light Emitting Device and Manufe SES/MXM/IDMG DST PROSPORTE SIZE Conductor Light Emitting Device and Manufe SES/MXM/IDMG DST PROSPORTE SIZE Conductor Light Emitting Device and Manufe SES/MXM/IDMG DST PROSPORTE SIZE Conductor Light Emitting Device and Manufe SES/MXM/IDMG DST PROSPORTE SIZE SIZE Conductor Light Emitting Device and Manufe SES/MXM/IDMG DST PROSPORTE SIZE SIZE SIZE SIZE SIZE SIZE SIZE SIZ	3 Ext/1 Mnth	0	Response to OA	Apparatus and Process for Conditioning Organic		
ATTY1/ATTY2 PARA REFERENCE# TITLE / MARK PARA REFERENCE# TITLE / MARK 1 TGD/DRH/I— 1 TGD/DRH/I— 1 TGD/DRH/I— 2 TGD/DRH/I— 3 TGD/DRH/I— 3 TGD/DRH/I— 4 TGD/DRH/I— 5 TGD/DRH/I— 5 TGD/DRH/I— 5 TGD/DRH/I— 5 TGD/DRH/I— 5 TGD/DRH/I— 6 TGD/DRH/I— 6 TGD/DRH/I— 6 TGD/DRH/I— 6 TGD/DRH/I— 7 TGD/DRH/I—	3 ExV1 Mnth	0	Response to OA	Endothelial Lining Effects and Treatment of Vaso		
ATTY/I/ATTY2 PARA REFERENCE# TITLE / MARK PARA REFERENCE# TITLE / MARK PARA REFERENCE# TITLE / MARK REFERENCE# ACTION EXT RADEMAN RESIDENCE REVISED REVISED REVISED REVISED REVISED RESIDENCE REVISED REVISE	8 Ext/1 Mnth	ω	SC -File Application	Semiconductor Light Emitting Device and Manufa	033022-004	
ent. Global Docket ATTY1/ATTY2 PARA REFERENCE# TITLE / MARK PARA REFERENCE# TITLE / MARK REFERENCE# T	8 Ext/1 Mnth	ω	SC -File Application	N/A	033018-113	
ATTY1/ATTY2 PARA REFERENCE# TITLE / MARK PARA REFERENCE# TITLE / MARK PARA REFERENCE# TITLE / MARK CONTINUED TGD/DRH/ 032994-047 Subcultaneous Injection Set Tubing with Solvent B PKS// PKS/EXB/ 033018-084 Concentric Controlled Temperature Profile Capilla PKS/EXB/ OT 1 0 2002 PLIENT PRADEMARY REG/SERIAL# ACTION EXT Restrict Require-30 0 SC -File Application 10	7 Ext/1 Mnth	4	SC -File Application	NIA	033018-111	PKS/-
ATTY1/ATTY2 PARA REFERENCE# TITLE / MARK COntinued TGD/DRH/ 032994-047 Subcutaneous Injection Set Tubing With Solvent B OLT 1 0 2002 PARA PARA REFERENCE# TITLE / MARK CURRENT FADEMARK TGD/DRH/ 032994-047 Subcutaneous Injection Set Tubing With Solvent B Restrict Require-30 0	1 Ext/1 Mnth	10	SC -File Application	Particle Size Control for Condensation Aerosols P	033018-110	
ATTY1/ATTY2 PARA REFERENCE# TITLE / MARK CONTINUED TGD/DRH/ 02 1 0 2002 PARA REFERENCE# TITLE / MARK PARA CURRENT EXT TGD/DRH/ 1 0 2002 PARA REG/SERIAL# ACTION EXT	5 Ext/1 Mnth	0	Restrict Require-30	Concentric Controlled Temperature Profile Capilla	033018-084	
ent. Global Docket OIP ATTY1/ATTY2 PARA REFERENCE# TITLE / MARK OCT 1 0 2002 ## OCT 1 0 2002 ## PARA REFERENCE# TITLE / MARK	T EXT AVAILABLE	CURREN	ACTION	Injection Set Tubing THADEMARK BY	032994-047	0
OIPM	Page	: 8/15/02		(2 OCT 1 0 2002 班) 2 OCT 1 0 2002 强	REFERENCE#	
				m m	Docket	Urgent Global

None	0	, ower Allorney Due	Signature Sweden due		
None	0	Status Check	ceiving Narrow-	050000-617 E	15 Thu RLG/KBL/PWM
			Method And Apparatus For Extimating a Frequen	040071-122 N	15 Thu RLG/MGS/
None	0	SC - 1st OA	HOP Sequence Adaption in a Frequency-Hopping Application was filed 10/15/99 STATUS LETTER REPLY 09/27/01	040070-549	יס היים אנט/אמנידני
None	0	SC - Issue Notify			15 Thu DI O (KD) (C)
7 Ext/1 Mnth	4	SC -File Application	Frequency Hopping Piconets In An Uncoordinated	040070-025	15 Thu RLG/KBL/SWP
8 Ext/1 Mnth	0	Response to OA	N/A	040060-117	15 Thu RLG/MGS/WNH
			Bearer Independent Signaling Protocol	040010-814	15 Thu RLG/SWP/
3 Ext/1 Moth	0	Final Rejection Resp	Combined Hybrid Automatic Retransmission Req File being retained by BDSM to prepare response	040000-386.001	
3 Ext/1 Mnth	0	Notice of Appeal	File being retained by BDSM to prepare response		15 This BI (140)
1 Ext/1 Mnth	N	Inf Disclosure Stmt	Combined Hybrid Automatic Retransmission Reg	040000-386.001	15 Thu RLG/MGS/WXR
	1		Production Method of a-Methylene-y-Butyrolacton	033563-001	15 Thu CFW//_
1 Ext/1 Math	0	Resp to Invitation	(15 mths = 9/18/02)	000008-005	
EXT AVAILABLE	EXT	ACTION	CLIENT		August continued 15 Thu AFK/SI C/XXX
Page 10	8/15/02	Through: 8/15/02	OCT 1 0 mm S	REFERENCE#	DUE PARA
			OIP	Docket	Urgent, Global Docket

END OF REPORT

TOTAL ITEMS SELECTED = 184